


A better surface. A complete package.

Concrete resurfacing & epoxy flooring

Preparation, agreed repairs, colour and protective finishing - coordinated by one NhLand team using suitable Dulux Avista product options.



Real decorative flake sample photograph from the resource collection.

Choose your transformation

Concrete Refresh & Seal

Clean, prepare and refresh suitable exterior concrete with a protective sealer.

Textured Resurfacing

Add a decorative coloured surface to suitable driveways, paths and patios.

Solid-Colour Epoxy

A coordinated coating package for suitable internal concrete floors.

Decorative Flake Flooring

An epoxy base, selected flakes and a compatible protective topcoat.

Quoted after assessment. Scope, product quantities, repair allowance and GST treatment confirmed in writing.

From preparation to finishing

These are NhLand installation packages, not manufacturer boxed kits. The selected complete system determines primers, coat counts, product quantities and compatibility.

01 Concrete Refresh & Seal

PREP	Assess, clean and follow the preparation route for bare or previously sealed concrete.
REPAIR	Agreed minor static-crack or patch repairs using a suitable Avista repair product.
COLOUR	Clear finish or approved tintable sealer where a colour refresh is wanted.
FINISH	Specified General Purpose or suitable exterior sealer; slip treatment where specified.

02 Textured Resurfacing

PREP	Clean and remove/treat unsuitable coatings; prepare to the selected specification.
REPAIR	Agreed Avista crack/patch repair and Resurfacing Primer as specified.
COLOUR	Resurfacing Base Compound plus approved colour, or Resurfacing Colour Compound.
FINISH	Chosen texture and compatible sealer. Stencil/fleck options quoted separately.

03 Solid-Colour Epoxy

PREP	Assess moisture; clean and mechanically prepare where required.
REPAIR	Compatible agreed repairs; specified primer or first-coat treatment.
COLOUR	Waterbased Epoxy with approved tint, or a specified High Solids Epoxy option.
FINISH	Specified coat build; compatible topcoat/slip additive when selected in the quote.

04 Decorative Flake Flooring

PREP	Assess, clean, prepare and carry out agreed repairs.
BASE	Specified Avista epoxy binder with approved base colour and coat build.
DETAIL	Decorative Flakes or Natural Stone Look Flakes; cured loose excess removed.
FINISH	Compatible clear topcoat, such as Polyaspartic where specified; agreed slip treatment.

Repair quantities must be listed in the quote. Moving/structural cracks and moisture remediation require separate assessment.

Driveway-to-Garage Combo

Pair Textured Resurfacing outdoors with Decorative Flake Flooring inside. Coordinate the colours and the schedule, while giving each area its own suitable preparation and finishing system.

Your complete project pathway

01 Assess

Check condition, coatings, moisture, slope, traffic and preferences.

02 Prepare

Protect surrounding areas and prepare the right base.

03 Repair

Complete agreed suitable defects; preserve movement joints.

04 Transform

Apply selected resurfacing or epoxy, with texture/flakes where chosen.

05 Finish

Apply specified finishing coats, inspect and provide care instructions.

A clear scope before work starts

Your quote identifies preparation, repair quantities, product stages, price, GST treatment and schedule. Extensive coating removal, contamination, major levelling, structural repairs, moisture remediation, complex details or special access may need separate pricing.

Good to know

- Resurfacing is decorative; it does not repair underlying structural movement.
- These epoxy packages are for suitable interiors. Outdoor floors need an approved exterior system.
- Slip treatment is selected for the site; adding grit alone does not establish a slip rating.
- Walking, vehicle use and full cure have different restrictions; actual conditions affect timing.
- Sample photos are finish examples, not completed customer jobs or a verified before/after pair.

Plan your floor

Choose a package, measure the outdoor/indoor area and note your surface condition, finish preference and timing. The companion web page lets you download a project brief; it does not send an enquiry.

Product information: duluxavista.com.au

Final product selection follows the current specification for the supplied New Zealand products.